



Product Data Sheet

Heavy Duty ATG Tape (56750)

Heavy Duty ATG Tape

Reverse Wound Transfer Tape (56750) is a 5 mil (0.13mm) fiberglass stabilized modified acrylic adhesive transfer tape with brown siliconized paper liner reverse wound on a 1" plastic core. The Heavy Duty ATG Tape is specifically designed to be used in ATG (Adhesive Transfer Gun) dispensers. The ATG system automatically rewinds the tape's liner inside of the dispenser as the tape is applied (tape is dispensed without liner).

Features / Benefits

Glass stabilization allows for cleaner unwinding. Excellent adhesion to paper, most plastic films, metal foils, etc. Ultra-violet light has little or no effect on adhesive. Extra mass of adhesive ensures bonding to rough & textured surfaces. Applications Used for mounting nameplates, picture framing, product assembly, design and packaging of prototypes, sealing envelopes, paper web splicing, and general mounting and holding.

Physical Properties

- Adhesive: Fiber Glass Stabilized Modified Acrylic Adhesive
- Total Thickness: 5.1 mil (0.13mm) exclusive of liner
- Peel Adhesion: 100 oz / inch
- Temperature Range: -40°F to 248°F

NOTE: The physical properties listed above are typical test results obtained from a series of laboratory tests and should not be used for the purpose of writing specifications. Before using this product, user shall determine the suitability of the product for his/her use; and user assumes all risks and liabilities in connection therewith. All test procedures used are in accordance with ASTM and PSTC methods.